



CORPORATION AN ISO BOD1 : 2016 CERTIFIED COMPANY

### COMPANY PROFILE

Mangalam Metal Corporation is one of the leading Stockist, Suppliers & Exporters of High Nickel Alloy Products. Quality is our prime concern. We are able to maintain high quality standards through our committed Vision & Mission. We help customers develop their energy resources; bringing world class capability and delivering it locally. We are proactive organization Specialised in special & exotic material grade products that meet and exceed customers' specific requirements and thus ensure complete satisfaction.

We are capable of providing a vast range of materials like High Nickel Alloys, Special Nickel Alloys, Special stainless steel grades, Titanium & Titanium Alloys, Aluminium Alloys & Copper Alloys, Cobalt Alloys etc.

### Why Us

We are a renowned name in this domain engaged in providing various types of High Nickel Alloys, SS, Special grade products. We have gained immense client's appreciation, Owing to our excellent product quality and transparent dealings. Specialties that make us a profitable business partner for our clients are:

Cost-effective rates • Customized solution • Customized packaging • Customer focused approach • Easy payment modes • Good Financial Position & TQM • Superior quality products • Timely delivery schedule • Timely delivery of products • Experience and specialty in work

Our management style has been the key to our success as we delegates responsibility to the specific need of every customers and we have made every customer a member of our family.

Keeping efficient and friendly customer service as the top concern, provides ultimate flexibility in fulfilling each & every customer requirement irrespective of the size of order. Most of our clients are doing business with us since years, which indicates higher levels of customer satisfaction. We always welcome any queries or suggestions from our clients to improve the services and hence to serve them better.

### **QUALITY CERIFICATIONS**









# Material Cross referance Nickel Alloys

UNS	Common Name	Werkstoff	Trade Name	
N02200	Alloy 200	2.4066/2.4060	Nickel 200	
N02201	Alloy 201	2.4066/2.4060	Nickel 201	
N04400	Alloy 400	2.4360	MONEL® alloy 400	
N05500	Alloy K500	2.4375	MONEL® alloy K500	
N08800	Alloy 800	1.4876	INCOLOY® alloy 800	
N08810	Alloy 800H	1.4876	INCOLOY® alloy 800H	
N08811	Alloy 800HT	1.4876	INCOLOY® alloy 800HT ®	
N08825	Alloy 825	2.4858	INCOLOY® alloy 825	
N06002	Alloy HX	2.4665	INCONEL® alloy HX	
N07718	Alloy 718	2.4668	INCONEL® alloy 718	
N10276	C276	2.4819	INCONEL® alloy C276	
N06600	Alloy 600	2.4816	INCONEL® alloy 600	
N06601	Alloy 601	2.4851	INCONEL® alloy 601	
N06625	Alloy 625	2.4856	INCONEL® alloy 625	
N06626	Alloy 625LCF	2.4856	INCONEL® alloy 625LCF	
N06022	Alloy 622	2.4602	INCONEL® alloy 622	
N06686	Alloy 686	2.4606	INCONEL® alloy 686	
N07750	Alloy X750	2.4816	INCONEL® alloy X750	
N06617	Alloy 617	2.4663	INCONEL® alloy 617	
N07751	7 <b>2</b> 0	0#:	INCONEL® alloy 751	
N06985	G30	2.4619	INCONEL® alloy G3	
N06075	NIMONIC® alloy 75	2.4951	NIMONIC® alloy 75	
N07080	NIMONIC® alloy 80A	2.4631	NIMONIC® alloy 80A	
N07090	NIMONIC® alloy 90	2.4632	NIMONIC® alloy 90	
N19903	Alloy 903	K( <b>=</b> 2	INCOLOY® alloy 903	
N09925	Alloy 925	( <del>**</del>	INCOLOY® alloy 925	
*	•	1.4862	INCOLOY® alloy DS	
N09945	Alloy 945	Ø <b>≥</b> 3	INCOLOY® alloy 945	
S35045	Alloy 803	81E	INCOLOY® alloy 803	
N08126	25-6 Mo	1.4529	INCOLOY® alloy 25-6 Mo	
. 8	27-7 Mo	i e	INCOLOY® alloy 27-7 Mo	
N06690	Alloy 690	((=)	INCONEL® alloy 690	
N06693	Alloy 693	320	INCONEL® alloy 693	

# **Copper Nickel Alloys**

	C70600	CuNi 90/10	2.0872
	C71500	CuNi 70/30	2.0882





CORPORATION AN ISO BOOT : 2015 CERTIFIED COMPANY

# **FLANGES**

We are engaged in stocking & exporting a wide range of Flanges that are available in various sizes for different applications in petrochemicals, refineries, chemical industry, water works, engineering & construction works. Owing to its high quality, optimum performance, less maintenance, our range of flanges are appreciated by our clients and are available in various material configurations like High Nickel Alloys, Duplex, Super Duplex, Stainless Steel, Carbon Steel, Alloy Steel and Copper Alloys. Based on the sizes, dimensions, shapes and length of these flanges, we can customize the products for our respected clients and in following material of construction.

Nickel Alloy

Stainless Steel

Duplex Steel / Super Duplex



Inconel Alloys : ASTM B564 Alloy 600, Alloy 601, Alloy

625, Alloy 718, Alloy 725.

Monel Alloys : ASTM B564 Monel 400, Monel K500.

Incoloy Alloys : ASTM B564 Alloy 20, Alloy A286

Alloy 800H/800HT, Alloy 825,

Hastelloy Alloy : ASTM B564 Hastelloy B2, C276, C22

Duplex & Super Duplex : UNS S31803, UNS S32750, UNS S32760,

Stainless Steel : ASTM A182, F304,304L,304H,316,

316L,317,317L,321,310,347,904L

Size : 1/2" NB TO 72" NB


Class : 150#, 300#, 600#, 900#, 1500# & 2500#

### TYPE

- PLATE BLANK FLANGE
- LAP JOINT FLANGE
- WELDNECK FLANGE
- ORIFACE FLANGE
- LONG WELD NECK FLANGE
- SCREWED FLANGE
- SOCKETWELD FLANGE
- BLIND FLANGE
- RTJ FLANGE
- THREADED FLANGE









CORPORATION AN ISO BOO1 : 2016 CERTIFIED COMPANY

# **BUTTWELD FITTINGS**

We are engaged in manufacturing and exporting wide range of Butt Weld Fitting that is available in varied types & grades sourced from reliable vendors, these fittings are highly acknowledged for their high tensile strength, durability and accurate alloy composition. These find application in several industries such Oil & Gas, Automobile, Acid & Chemical, Pharmaceutical and Cement industries. We are known for our buttweld fittings.



Inconel Alloys : ASTM B366 Alloy 600, Alloy 601, Alloy

625, Alloy 718, Alloy 725.

Monel Alloys : ASTM B366 Monel 400, Monel K500.

Incoloy Alloys : ASTM B366 Alloy 20, Alloy A286

Alloy 800H/800HT, Alloy 825, Alloy A286

Hastelloy Alloy : ASTM B366 Hastelloy B2, C276, C22

Duplex & Super Duplex : UNS S31803, UNS S32750, UNS S32760,

Stainless Steel : ASTM A403, WP304,304L,304H,316,

316L,317,317L,321,310,347,904L

Copper / Cupro Nickel: 90/10 (UNS C70600),

70/30 ( UNS C71500)

Size : 1/4" NB TO 14" NB (seamless)

4" NB TO 24" NB (welded)

Wall Thickness : Sch. 5s To Sch. XXS

### TYPE

- TEE (EQUAL /UNEQUAL)
- REDUCING TEE
- SHORT STUB BEND
- RETURN BENDS
- ELBOW (1D/1.5D/3D/5D)
- LONG STUB BEND
- REDUCER (CONCENTRIC/ECCENTRIC)







CORPORATION AN ISO BOOT : 2016 CERTIFIED COMPANY

# **ROUND BAR**

We are offering our clients a wide range of Round Bars that are available in varied grades of stainless steel, Duplex / Super duplex, Nickel Alloys, Copper& Brass etc. our round bars have great utility as machinery equipment in various industries and for diverse architectural purposes. These round bars feature superior polish, excellent finish, sturdy construction and high tolerance level

Nickel Alloy
 Stainless Steel
 Duplex Steel / Super Duplex
 copper
 Brass



Inconel Alloys : Inconel Alloy 600, Inconel Alloy 601,
Inconel Alloy 625, Inconel Alloy 718,
Inconel Alloy 725, Inconel Alloy X750

Monel Alloys : Monel 400, Monel R405, Monel K500.

Incoloy Alloys : Incoloy Alloy 20, Incoloy Alloy 800,

Incoloy Alloy, 800H/800HT, Incoloy Alloy 825, Incoloy Alloy 925, Incoloy Alloy A286

Hastelloy Alloy : Hastelloy C4, Hastelloy B2, Hastelloy G30,

Hastelloy B3, Hastelloy C276, Hastelloy X,

Hastelloy C22

Duplex & Super Duplex : UNS S31803, UNS S32750, UNS S32760,

UNS S32550, 254SMO

Stainless Steels : 347, 310, 303, 304/304H, 316/316L,

317/317L, 17/4PH, 410, 431, Nitronic 50,

Nitronic 60, Nimonic 80A

Type : Round / Square / Hexagonal / Rectangular

# STRUCTURAL STEEL

We specialize in stainless steel equal & unequal angles, stainless steel cold drawn flats, stainless steel hot rolled flats, stainless steel polished & hairline angles & flats, stainless steel tapered & non tapered channels, stainless steel I Beams and stainless steel Tee Bars in various size range. We offer stainless steel products in various grades.


### **Our Grades**


#### ASTM:

304, 304L, 304H, 310, 316, 316L, 316Ti, 321,

#### DIN:

1.4301, 1.4307, 1.4306, 1.4841, 1.4845, 1.4401, 1.4404, 1.4541, 1.4571, 17 4PH







CORPORATION AN ISO BODT : 2015 CERTIFIED COMPANY

### **FASTENERS**

We hold expertise in offering fasteners, such as nuts, bolts, washers, anchor fasteners, stud bolts, Threaded Rod to our clients. These are manufactured utilizing high grade, such as Stainless Steel, Carbon steel, Duplex steel, Monel, Inconel, Hastelloy, Titanium and Nickel alloy, which Alloy steel assure their high tensile strength and corrosion resistance. Our range finds applications in numerous industries and is offered in sizes ranging from M4 To M100, length up to 5 meters as per the client's requirement.

### **SALIENT FEATURES:**

Severe vibration under impulse pressure
 Static Pressure

High Tolerance

Dimensional preciseness
 Corrosion Resistance

Perfect Installation & application

Long service life
 Study Construction

Fast Performance



Inconel Alloys : Inconel Alloy 600, Inconel Alloy 601,

Inconel Alloy 625, Inconel Alloy 718,

Inconel Alloy 725, Inconel Alloy X750

Monel Alloys : Monel 400, Monel R405, Monel K500.

Incoloy Alloys : Incoloy Alloy 20, Incoloy Alloy 800,

Incoloy Alloy 800H/800HT, Incoloy Alloy 825,

Incoloy Alloy 925, Incoloy Alloy A286

Hastelloy Alloy : Hastelloy C4, Hastelloy B2, Hastelloy G30,

Hastelloy B3, Hastelloy C276, Hastelloy X,

Hastelloy C22

Duplex & Super Duplex : UNS S31803, UNS S32750, UNS S32760,

UNS S32550.

Stainless Steels : 347, 310, 303, 304/304H, 316/316L,


317/317L, 17/4PH, 410, 431, Nitronic 50,

Nitronic 60, Nimonic 80A

#### **TYPES**

- ANCHOR FASTENERS
- HEX HEAD BOLTS
- SOCKET CAPS SCREW
- HEX NUTS
- EYE BOLTS
- STUD BOLTS
- THREADED RODS
- COUNTERSUNK BOLTS
- FLAT / SPRING / LOCK WASHERS
- FOUNDATION BOLTS







CORPORATION AN ISO 5001 : 2015 CERTIFIED COMPANY

# SPECIAL FORGING PRODUCTS

### **NIPO FLANGES**



Y PIECES



SPECTACLE BLINDS SPACER&SPADE



**ANCHOR FLANGES** 



**COMPACT FLANGES** 



LONG WELDING NECK



**NOZZLES** 



**SHAFT** 



**FORGE RINGS** 



# **FORGINGS**

Our company is a manufacturer and supplier of open and closed die forgings Nickel Alloy and stainless steel forgings which can be supplied in As Forged + Heat Treated + Machined and Fully assembled condition as per the customer's requirement, we can also provide customize products as per drawings.

High Nickel : Monel, Nickel, Inconel, Hastelloy,


Titanium

Stainless Steel : ASTM A182, F304, 304L, 304H,

316, 316L, 317, 317L, 321,

310, 347, 904L







CORPORATION AN ISO BOOT : 2016 CERTIFIED COMPANY

# **FORGED FITTINGS**

We offer to our clients specially designed forged pipe fittings. We also undertake new projects as per the drawings and specifications of the client for forged fittings. The product is delivered in a short time frame. We offer special forged pipes fittings in different metals which find application in various industries. We can offer forged fittings in following materials of construction:

Nickel Alloy & Copper Nickel Alloy

Stainless Steel & Duplex Steel



Nickel Alloys : Inconel, Monel, Incoloy, Hastelloy, Nickel,

Stainless Steel : ASTM A182, F304,304L,304H,316,

316L,317,317L,321,310,347,904L

Copper / Cupro Nickel : 90/10 (UNS C70600),

70/30 (UNS C71500)

Size : 1/4" NB TO 4" NB

Class : 3000#, 6000#, 9000#

### **TYPES**

Elbow, Tee, Union, Cross, Coup Bushing, Plug, Swage Nipple, Welding Boss, Hexagon Nipple, Barrel Nipple, Welding Nipple, Parraler Nipple, Street Elbow, Hexagon Nut, Hose Nipple, Bend, Adapter, Insert, Weldolet, Elbowlet, Sockolet, Thredolet, Nipolet, Letrolet, etc.

# **GASKETS**

### METALLIC

- Ring Joints Gaskets
- R-Type Ring Joints Gaskets
- RX Type Ring Joints Gaskets
- BX Type Ring Joints Gaskets
- SRX & SBX Type Ring Joints Gaskets





### SEMI-METALLIC GASKETS

- Spiral Wound Gaskets
- Metal Jacketed Gaskets
- Corrugated Metal Gaskets
- Camprofile (Grooved) Gaskets
- PTFE Gaskets





CORPORATION AN ISO 8001 : 2016 CERTIFIED COMPANY

### **INSTRUMENTATION FITTINGS & VALVES**

We are engaged in stocking & supplying of Tube fittings & instrumentation valves & fittings as per International & National standard & customer specifications

Our team of experts and process system makes sure that the right product is supplied to customer on time with proper documentation and traceability



Inconel Alloys : ASTM B564 Alloy 600, Alloy 601,
Alloy 625, Alloy 718, Alloy 725,

Monel Alloys : ASTM B564 Monel 400, Monel K500.

Incoloy Alloys : ASTM B564 Alloy 20, Alloy A286

Alloy 800H/800HT, Alloy 825,

Hastelloy Alloy : ASTM B564 Hastelloy B2, C276, C22

**Duplex** : A182 F51, F60, UNS s31803, UNS S2205

Super Duplex : A 182 F44, F53, F55, SMO 254

UNS S31254, UNS S32750, UNS S32760

Stainless Steel : A 182 304, 304L, 304H, 316, 316L, 316H,

316 Ti, 321, 347, 347H, 904L

Non-Ferrous : copper, Brass

Size : 1/16" TO 2" & above

6mm OD to 50mm OD & above

### TYPE

Tube Fittings : Port connectors tube to flare 37 degree,

Tube to female pipe thread

Weld fitting : Female elbow, male connector

male elbow, pipe union, tube union, reducing adaptor, union cross, union

elbow, union tee

Instrumentation

Valve

: Ball valve, Check valve, Double block n bleed valve, Gauge valve, Manifold valve, Needle

valve, Plug valve, Pressure relief valve.

Instrumentation

: Condensate pot, Syphon, Gauge snubber

Accessories Air header







CORPORATION AN ISO BODI : 2016 CERTIFIED COMPANY

# SHEET / PLATES / COILS

ASTM / ASME SB 162 UNS 2200 (NICKEL 200)

ASTM / ASME SB 162 UNS 2201 (NICKEL 201)

ASTM / ASME SB 127 UNS 4400 (MONEL 400)

ASTM / ASME SB 463 UNS 8020 (ALLOY20 / 20 CB 3)

ASTM / ASME SB 424 UNS 8825 (INCONEL 825)

ASTM / ASME SB 168 UNS 6600 (INCONEL 600)

ASTM / ASME SB 409 UNS 8810/8811 (INCONEL 800/800HT)

ASTM / ASME SB 443 UNS 6625 (INCONEL 625)

ASTM / ASME SB 575 UNS 10276 (HASTELLOY C276)

Duplex: UNS S31803, UNS S2205

Super Duplex: UNS S31254, UNS S32750, UNS S32760

**Stainless Steel**: Plates as per ASTM A240, Gr. TP 304, 304L, 304LN, 309, 309S, 309H, 310H, 310H, 316, 316L, 316H, 316LN, 316Ti, 317, 317L, 321, 321H, 347, 347H, 409, 410, 420, 430 etc.

Copper / Cupro Nickel : 90/10 (UNS C70600),

70/30 ( UNS C71500)


Range: 0.5 mm To 200 mm thick in 1000 mm To 3000 mm width & 2500 mm To 12500 mm length available with

NACE MR 01-75



We are also specialized in supplying of various types of perforated sheets & Wire mesh in wide variety of Designs and material specifications

- Inconel
- Phosphorous Bronze
- Monel
- Stainless Steel
- Hastelloy







Perforated Sheet





Wire Mesh



PIPES / TUBES

ASTM / ASME SB 161/B725/B730 UNS 2200 (NICKEL 200)

ASTM / ASME SB 161/B725/B730 UNS 2201 (NICKEL 201)

ASTM / ASME SB 165/B725/B730 UNS 4400 (MONEL 400)

ASTM / ASME SB 729/B464/B468 UNS 8020 (ALLOY20 / 20 CB 3)

ASTM / ASME SB 423/B705/B704 UNS 8825 (INCONEL 825)

ASTM / ASME SB 167/B517/B516 UNS 6600 (INCONEL 600)

ASTM / ASME SB 407/B514/B515 UNS 8810/8811 (INCONEL 800/HT)

ASTM / ASME SB 444/B705/B704 UNS 6625 (INCONEL 625)

ASTM / ASME SB 622/B619/B622 UNS 10276 (HASTELLOY C276)

**Duplex / Super Duplex**: SA 790 UNS No S31803, S32205 S32750, S32760

#### Stainless Steel:

ASTM / ASME SA 321 GR. TP 304, 304L, 304H, 309S, 309H, 310S, 310H, 316, 316TI, 316H, 316LN, 317, 317L, 321, 321H, 347, 347H, 904L.

ASTM / ASME SA 358 CL 1 & CL 3 Gr. 304, 304L, 304H, 309S, 309, 310S, 310H, 316, 316TI, 316H, 321, 321H, 347, 347H.

Copper / Cupro Nickel: 90/10 (UNS C70600), 70/30 ( UNS C71500)



We have excellent sourcing network across the Globe so that we can source and supply any hard to find material at your doorstep.



# **INCONEL 600 INCONEL 601 INCONEL 625 INCONEL 800H**

ALLOY 20 MONEL 400 NICKEL 200 NICKEL 201 MONEL K 500 INCONEL 825 HASTELLOY C-276

ALLOY 904L INCONEL 800 HT SMO 254 TITANIUM



### CORPORATION

AN ISO 9001: 2015 CERTIFIED COMPANY

- Head Office: 107, C.P. Tank Road, Near Madhav Baug, Mumbai - 400004, India.
- +91 22 66394189, 67436951
- mangalammetal@gmail.com / info@mangalammetal.com

Warehouse I: Plot No. 1630, Kalamboli Steel market, Kalamboli, District raigad - 410218, Maharshtra

Warehouse II: E-65, GIDC, Phase II, Bol Village, Road No. 32, Sanand, Gujarat - 382170